Ref. Denso - SDS

Page 1 of 4 Issue: 09/09/25

# - Denso Ultraseal Tape

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION & COMPANY

PRODUCT NAME:

RECOMMENDED USE:

COMPANY:

Denso Ultraseal Tape
Anti-corrosion coating
DENSO (AUSTRALIA) PTYLTID

REGULAR TELEPHONE NUMBER: +61 3 9356 7600

EMERGENCYTELEPHONE NUMBER: POISONS INFORMATION LINE: 13 11 26 (Australia)

NZ POISONS CENTER: 0800 764 766 (New Zealand)

+61 3 9356 7616 or +61 402 867 141

FACSIMILE NUMBER: +61 3 9356 7699

ADDRESS: 77-95 National Boulevard, Campbellfield, VIC 3061, AUSTRALIA

### 2. HAZARDS IDENTIFICATION

Not classified as hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS). Not classified as hazardous according to Safe Work Australia.

Not classified as Dangerous Goods according to Australian Code for the Transport Dangerous Goods by Road and Rail

### 3. HAZARDS IDENTIFICATION

No ingredients classified as hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) or the Criteria of Safe Work Australia.

### 4. FIRST AID MEASURES

GENERAL ADVICE: Show this safety data sheet to the doctor in attendance.

SKIN CONTACT Wash with soap and water

EYE CONTACT Immediately irrigate with plenty of water for 15 minutes. Seek medical advice if irritation

persists.

INHALATION Not considered hazardous except in fires. See sections 5 & 10

INGESTION Do not induce vomiting. Seek medical advice.

Symptoms caused by exposure:

No data available

Medical attention and special treatment:

No data available

### 5. FIREFIGHTING MEASURES

EXTINGUISHING
MEDIA

Carbon dioxide, dry powder, chemical foam

DO NOTUSE Water jet

SPECIFIC HAZARDS ARISING

FROM THE CHEMICAL

May produce toxic fumes of carbon monoxide/carbon dioxide if burning

PROTECTIVE

Self-contained breathing apparatus may be needed for large fires

#### 6. ACCIDENTALRELEASE

PERSONAL PRECAUTIONS None



Ref. Denso - SDS

Page 2 of 4 Issue: 09/09/25

# - Denso Ultraseal Tape

ENVIRONMENTAL Solid tape product. Presents no environmental problems if collected and disposed of

PRECAUTIONS correctly. Refer to Section 13 for disposal considerations.

METHOD OF CLEANING Collect in a container. Dispose of as in Section 13.

7. HANDLING AND STORAGE

HANDLING Gloves recommended when applying product.

STORAGE Store away from heat and open flame.

8. EXPOSURE CONTROL/ PERSONAL PROTECTION

EXPOSURE LIMITS Bitumen: WEL8-hr limit mg/m<sup>3</sup>: 5 WEL15 min limit mg/m<sup>3</sup>: 10

BIOLOGICALLIMIT VALUES No biological limits allocated

ENGINEERING CONTROLS Not applicable.

RESPIRATORYPROTECTION Not applicable.

SKIN PROTECTION Gloves recommended when applying product. Remove product from skin using soap and

water.

EYE/ FACE PROTECTION Not applicable.

OTHER Not available.

9. PHYSICALAND CHEMICAL PROPERTIES

Bituminous compound with

acrylic coated polyester

APPEARANCE backing and siliconised EXPLOSION LIMITS Not available

polyethylene coated

interleaving

ODOUR None VAPOUR PRESSURE Not available
COLOUR Black VAPOUR DENSITY Not available

SOFTENING/ MELTING

POINT 118°Capprox %VOLATILE Nil

BOILING POINT Not available SOIL/BILITY Insoluble in water

pH Not available PARTITION COEFFICIENT: Not available

n-octanol/water

FLASH POINT Not available AUTO-IGNITION TEMPERATURE Not available

DECOMPOSITION

EVAPORATION RATE Not available TEMPERATURE Not available

FLAMMABILITY Not available

10. STABILITY AND REACTIVITY

REACTIVITY None

CHEMICAL STABILITY Stable under normal conditions of storage and handling

CONDITIONS TO AVOID Heat and open flame



Ref. Denso - SDS

Page 3 of 4 Issue: 09/09/25

# – Denso Ultraseal Tape

MATERIALS TO AVOID Aromatic solvents

HAZARDOUS DECOMPOSITION

PRODUCTS

In a fire, black smoke, toxic fumes of carbon dioxide/monoxide

HAZARDOUSPOLYMERISATION None known other than in fire

### 11. TOXICOLOGICALINFORMATION

Toxicology information Component: Bitumen: Dermal (rat) ID50: >2000 mg/kg Oral (rat) ID50: 5000 mg/kg

Possible routes of exposure Skin: Prolonged or repeated contact with skin can cause irritation

Germ cell mutagenicity Not expected to be a mutagenic hazard

Carcinogenicity Not classified as a carcinogen
Reproductive toxicity Not considered toxic to reproduction

STOT-single exposure Not expected to cause toxicity to a specific target organ

STOT-repeated exposure Not expected to cause toxicity to a specific target organ through prolonged or

repeated exposure

Symptoms/effects both acute

and delayed

Prolonged or repeated contact with skin can cause irritation

#### 12. ECOLOGICALINFORMATION

Eco-toxicity Eco-toxicity data not available

Persistence and degradability
Mobility
Data not available

## 13. DISPOSAL CONSIDERATIONS

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

## 14. TRANSPORT INFORMATION

This product is not classified as Dangerous goods for transport according to the Australian code for the Transportation of Dangerous Goods by Road and Rail (ADG Code)

SPECIAL PRECAUTIONS IN CARRIAGE: None

UN №: Not allocated

PROPER SHIPPING NAME: Not allocated

CLASS: Not allocated

HAZCHEM CODE: Not allocated

PACKING GROUP: Not allocated

PACKAGING INSTRUCTION Not allocated

MARINE POLLUTANT No

## 15. REGULATORYINFORMATION

REGULATORYINFORMATION Not classified as hazardous according to the Globally Harmonised System of

Classification and labelling of Chemicals (GHS).



# - Denso Ultraseal Tape

Page 4 of 4 Issue: 09/09/25

Not classified as hazardous according to Safe Work Australia.

## 16. OTHER INFORMATION

Date reviewed: 09 May 2025 Supersedes: 30 June 2020

### <u>Acronyms</u>

ADG	Australian Dangerous Goods	STEL	Short term exposure limit
CAS	Chemical Abstract Service	STOT	Specific target organ toxicity
GHS	Globally harmonised system	TWA	Time-weighted average

MEL Maximum exposure limit

Denso Australia Pty Itd and the Winn & Coales Itd group of companies has not provided authority to any other party to make available, store on a database or make representations in such matters on their behalf. All requests with regards to information in matters discussed herein should be directly forwarded to Denso (Australia) Pty Itd.

This information is based on data believed by DENSO (AUSTRALIA) PTYLTD to be accurate at the time of writing but is subject to change without notice. It is given in good faith, but no warrant expressed or implied is made as to its accuracy, completeness or otherwise.

Every person dealing with the materials referred to herein do so at his/her own risk absolutely and must make independent determination of suitability and completeness of information from all sources to ensure their proper use.

End of Safety Data Sheet -